

APPROVED REV DESCRIPTION DATE INITIAL







6

ASSY QTY	ASSY QTY	В/О	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	TUBE, SLEEVE`	4140	Ø2-5/8 X 7	2
. 0			-3	1	CROSSBEAM	4140	Ø3/4 X 7-1/2	3
			-5	1	TIE-ROD	4140 Q&T	Ø1 X 6-3/4	4
			-7	3	HOOK	4140	3/8 X 5/8 X 1-1/4	5
			-9	1	BLOCK	4140 Q&T	Ø2 X 5-1/8	6
		B/O	-11	1	SET SCREW, CONE POINT	STEEL	1/4-20 X 1/2 MCMASTER-CARR #92695A305	1
		B/O	-13	1	WASHER	STEEL	M10 MCMASTER-CARR #91166A280	1
		B/O	-15	1	NUT	STEEL	M10 MCMASTER-CARR #90591A171	1
		B/O	-17	3	DOWEL PIN	416 S.S.	3/16 X 3/4 MCMASTER-CARR #98380A508	1
			-19	1	BOTTOM TOOL CUSHION	Y-20 BLACK	3.95 X 9.08 X 11.98	7
			-21	1	TOP TOOL CUSHION	C200 FLAT, BLACK	1.2 X 9.08 X 11.98	8
		B/O	-23	1	CASE	PLASTIC	PELICAN #APP-1400-E	NS
		B/O	-25	1	RED BARN PLACARD	ALUMINUM	RB41009	NS

RED BARN MACHINE


DWG NO.

TITLE T/R GRIP BUSHING REMOVAL

RBW109-3130-72-101 DRAWN BY: GILBERT MAT'L UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

.XXX ± .005 FRACTIONS ± 1/32

.XX ± .01 ANGLES ±.5° APPROVED 1. BREAK ALL SHARP EDGES .015 x 45° SPEC OR .015R USED ON MODEL 2. DIMENSIONAL LIMITS APPLY AFTER PLATING AW109 SCALE DATE 5/24/2012 SHEET 1 OF 8 1:4




This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine. INITIAL APPROVED REV DESCRIPTION DATE Ø .422 THRU ALL-Ø.748^{+.000}_{-.005} 3.75 - 7.50 ENGRAVE "RBW109-3130-72-107" 2X R.06 -- .03 2X .12 2.50 -2.50


(-3)

CROSSBEAM




REVISIONS
REV DESCRIPTION DATE INITIAL APPROVED







(-5)


TIE-ROD



REVISIONS REVISIONS								
REV	DESCRIPTION	DATE	INITIAL	APPROVED				







-7

HOOK


RED BARN MACHINE T/R GRIP BUSHING REMOVAL

| DWG NO. | RBW109-3130-72-101-7 | FINAL STREET | PROVIDE STREET | PROVIDE

1. BREAK ALL SHARP EDGES .015 x 45*
OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING


AW109


| AW109 | SCALE | 2:1 | DATE | 5/24/2012 | SHEET 5 OF 8




 REVISIONS

 REV
 DESCRIPTION
 DATE
 INITIAL
 APPROVED







RED BARN MACHINE T/R GRIP BUSHING REMOVAL DWG NO. RBW109-3130-72-101-19 DRAWN BY: GILBERT MAT'L Y-20 BLACK 1. BREAK ALL SHARP EDGES .015 x 45° SPEC OR .015R USED ON MODEL 2. DIMENSIONAL LIMITS APPLY AFTER PLATING AW109 SCALE DATE 5/25/2012 SHEET 7 OF 8 1:2

